

EAST Search History *for Interference Search*

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S263	1	((("input/output control hub" "i/o control hub" ICH "input/output controller" "i/o controller") and ((cryptographic trusted) near2 (module device component circuit accelerator engine co\$1processor)) and ((long\$1term "long term" permanent) near (secret value key)) and ((short\$1term "short term" ephemeral session temporary) near (secret value key)) and (power\$1up "power up" start\$1up "start up" \$2boot\$3 reset\$4)).clm.	US-PGPUB	OR	ON	2006/12/20 14:48

8 pages

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S147	2907	713/171-172,192,200;380/44,283-285,262.ccls. and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT	OR	OFF	2005/02/20 11:43
S152	48	S147 and ((long\$1term or "long term" or permanent) near (secret or value or key))	US-PGPUB; USPAT	OR	OFF	2005/02/20 12:23
S153	34	S152 and ((short\$1term or "short term" or ephemeral or session or temporary) near (secret or value or key))	US-PGPUB; USPAT	OR	OFF	2005/09/17 19:49
S154	12	S147 and (generat\$3 with ((long\$1term or "long term" or permanent) near (secret or symmetr\$2 or value or key)))	US-PGPUB; USPAT	OR	OFF	2005/09/17 19:53
S155	3	S147 and (("session key" near3 deriv\$5) with (shared near2 secret))	US-PGPUB; USPAT	OR	OFF	2005/09/17 19:54
S156	8	S147 and ((register\$3 or configur\$3) with ((cryptographic or trusted or secure\$1) near2 (co\$1processor or module or device or compnnt or facility))) and (generat\$3 near2 (secret or symmetric) adj (key or value))	US-PGPUB; USPAT	OR	OFF	2005/09/17 19:54
S157	0	S147 and ("input/output control hub" or "i/o control hub" or ICH or "input/output controller" or "i/o controller") and ((cryptographic adj co\$1processor\$1) or (trusted near2 module) or (trusted near2 component))	US-PGPUB; USPAT	OR	OFF	2005/09/17 19:54
S158	23	("input/output control hub" or "i/o control hub" or ICH or "input/output controller" or "i/o controller") and ((cryptographic adj co\$1processor\$1) or (trusted near2 module) or (trusted near2 component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 12:28
S159	6	S158 and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 12:30
S160	17	((cryptographic or trusted or secur\$3) near2 (co\$1processor or module or device or component or facility)) same ((generat\$3 or creat\$3) near2 "secret key") and manufacture\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 20:01

EAST Search History

S16 1	11	"postal security device" and ((generat\$3 or creat\$3) near2 "secret key")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 20:09
S16 3	63	S147 and ((key or number or value) near3 (updat\$3 or creat\$3 or generat\$3 or deriv\$3) same (power\$1up or "power up" or start\$1up or "start up" or \$2boot\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 20:13
S16 4	15	("4278837" "5022077" "5144659" "5289540" "5359659" "5421006" "5444850" "5448045" "5450489" "5465299" "5479509" "5500897" "5666411" "5699428" "5835594"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/20 13:45
S16 5	8	("5680131").URPN.	USPAT	OR	OFF	2005/02/20 14:11
S16 9	14	((hash\$3 or one\$1way or "one way") near (successively or iteratively))	USPAT	OR	OFF	2005/02/20 15:35
S17 0	23	gawrock-david-w.in.	US-PGPUB; USPAT	OR	OFF	2005/09/17 21:29
S17 1	54	(generat\$3 or creat\$3) near3 ((long\$1term or "long term" or permanent or long\$1lived) near (secret or symmetr\$2 or value or key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/20 15:47
S17 2	25	S171 and ((short\$1term or "short term" or ephemeral or session or temporary) near (secret or value or key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/20 15:49
S17 3	6	"postal security device" with (integrat\$3 or component or platform)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/20 16:04
S17 4	11	713/193;380/29,46.ccls. and ((cryptographic or trusted or secure\$1) near2 (co\$1processor or module or device or component or facility)) and (shared near2 "secret key")	US-PGPUB; USPAT	OR	OFF	2005/02/20 16:05
S17 5	16	((cryptographic near2 (co\$1processor or module or device or component or facility)) and (generat\$3 near2 (secret or symmetric) adj (key or value)) and ((transmit\$3 or send\$3) near2 (key or value))) and platform	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/20 16:20

EAST Search History

S17 6	17	((("input/output control hub" or "i/o control hub" or ICH or "input/output controller" or "i/o controller") near5 key) and (encrypt\$3 or decrypt\$3 or cryptograph\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/20 16:24
S17 7	2907	713/171-172,192,200;380/44,283-285, 262.ccls. and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT	OR	OFF	2005/02/20 16:49
S17 8	63	S177 and ((key or number or value) near3 (updat\$3 or creat\$3 or generat\$3 or deriv\$3) same (power\$1up or "power up" or start\$1up or "start up" or \$2boot\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 21:32
S18 3	405	(key or number or value) near2 (updat\$3 or creat\$3 or generat\$3 or deriv\$3) near5 (power\$1up or "power up" or start\$1up or "start up" or \$2boot\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/21 13:15
S18 4	306	S183 and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 21:34
S18 5	228	S184 not booth\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/20 17:17
S18 6	15	("4405826" "4633388" "4764959" "4780840" "4823308" "4853884" "4933898" "5045675" "5068894" "5117380" "5228084" "5323338" "5559889" "5563950" "5568552"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/20 17:32
S19 3	14	(key or number or value) near2 (updat\$3 or creat\$3 or generat\$3 or deriv\$3 or chang\$3 or modif\$5) near5 (reset\$3) with encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/21 13:38
S19 9	1382	713/171-172,192,200;380/44,283-285, 262.ccls. and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT	OR	OFF	2006/03/15 11:11
S20 0	44	S199 and ((long\$1term or "long term" or permanent) near (secret or value or key))	US-PGPUB; USPAT	OR	OFF	2006/03/15 11:25
S20 1	33	S200 and ((short\$1term or "short term" or ephemeral or session or temporary) near (secret or value or key))	US-PGPUB; USPAT	OR	OFF	2006/03/15 11:26

EAST Search History

S20 3	13	S199 and (generat\$3 with ((long\$1term or "long term" or permanent) near (secret or symmetr\$2 or value or key)))	US-PGPUB; USPAT	OR	OFF	2006/03/15 12:31
S20 4	3	S199 and (("session key" near3 deriv\$5) with (shared near2 secret))	US-PGPUB; USPAT	OR	OFF	2005/09/17 19:54
S20 5	8	S199 and ((register\$3 or configur\$3) with ((cryptographic or trusted or secure\$1) near2 (co\$1processor or module or device or compnnt or facility))) and (generat\$3 near2 (secret or symmetric) adj (key or value))	US-PGPUB; USPAT	OR	OFF	2006/03/15 13:37
S20 6	0	S199 and ("input/output control hub" or "i/o control hub" or ICH or "input/output controller" or "i/o controller") and ((cryptographic adj co\$1processor\$1) or (trusted near2 module) or (trusted near2 component))	US-PGPUB; USPAT	OR	OFF	2005/09/17 19:55
S21 0	8	S208 and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 19:58
S21 1	18	((cryptographic or trusted or secur\$3) near2 (co\$1processor or module or device or component or facility)) same ((generat\$3 or creat\$3) near2 "secret key") and manufacture\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 20:01
S21 2	12	"postal security device" and ((genera\$3 or creat\$3) near2 "secret key")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 14:41
S21 3	23	S199 and ((key or number or value) near3 (updat\$3 or creat\$3 or generat\$3 or deriv\$3) same (power\$1up or "power up" or start\$1up or "start up" or \$2boot\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 14:49
S21 4	12	("5680131").URPN.	USPAT	OR	ON	2005/09/17 20:51

EAST Search History

S21 5	45	("3798360" "4004089" "4316055" "4605820" "4607137" "4613901" "4641102" "4897875" "4991208" "5020106" "5029207" "5117379" "5195136" "5295188" "5341425" "5341426" "5353353" "5490258" "5509073" "5533127" "5590194" "5657095" "5673319" "5680131" "5708714" "5825879" "5842224" "5852472" "5860136" "5862150" "5940509" "6005940" "6047103" "6061449" "6115376" "6118873" "6167136" "6289102" "6345101" "6452959" "6453304" "6466669" "6477252" "6654883" "6782476"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/17 20:58
S21 6	26	grawrock-david-w.in.	US-PGPUB; USPAT	OR	OFF	2006/03/15 15:36
S22 3	161	(initializ\$5 manufacture (first near (start\$1up boot "power up"))) near5 ((master secrete) near2 (number value key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 21:51
S22 5	81	(initializ\$5 manufacture (first near (start\$1up boot "power up"))) near5 ((master secrete) near2 (number value key)) same (secur\$3 encrypt\$3 synchroniz\$5 control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 21:52
S22 6	58	S225 and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 15:45
S22 7	1970	713/171-172,192;380/44,262,277-278, 283-285.ccls. and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT	OR	OFF	2006/03/15 11:14
S22 8	58	S227 and ((long\$1term or "long term" or permanent) near (secret or value or key))	US-PGPUB; USPAT	OR	OFF	2006/03/15 11:25
S23 1	48	S228 and ((short\$1term or "short term" or ephemeral or session or temporary or shared) near (secret or value or key))	US-PGPUB; USPAT	OR	OFF	2006/08/31 11:31
S23 2	14	S227 and (generat\$3 with ((long\$1term or "long term" or permanent) near (secret or symmetr\$2 or value or key)))	US-PGPUB; USPAT	OR	OFF	2006/08/31 11:38

EAST Search History

S23 4	14	S227 and ((register\$3 configur\$3 initiali\$5 manufactur\$3) with ((cryptographic or trusted or secure\$1) near2 (co\$1processor or module or device or component or facility or unit))) and (generat\$3 near2 (secret or symmetric) adj (key or value))	US-PGPUB; USPAT	OR	OFF	2006/08/31 11:39
S23 5	12	"postal security device" and ((genera\$3 or creat\$3) near2 "secret key")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 11:41
S23 8	115	S227 and ((key or number or value) near3 (updat\$3 or creat\$3 or generat\$3 or deriv\$3) same (power\$1up or "power up" or start\$1up or "start up" or \$2boot\$3 or reset\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 11:45
S23 9	48	S227 and ((key or number or value) near3 (updat\$3 or creat\$3 or generat\$3 or deriv\$3) with (power\$1up or "power up" or start\$1up or "start up" or \$2boot\$3 or reset\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 14:51
S24 0	35	grawrock-david-w.in.	US-PGPUB; USPAT	OR	OFF	2006/08/31 12:01
S24 1	86	(initializ\$5 manufacture (first near (start\$1up boot "power up"))) near5 ((master secrete) near2 (number value key)) same (secur\$3 encrypt\$3 synchroniz\$5 control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 15:45
S24 2	58	S241 and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 12:10
S24 3	2088	713/171-172,192;380/44,262,277-278, 283-285.ccls. and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT	OR	OFF	2006/08/31 12:25
S24 4	62	S243 and ((long\$1term or "long term" or permanent) near (secret or value or key))	US-PGPUB; USPAT	OR	OFF	2006/08/31 11:31
S24 5	52	S244 and ((short\$1term or "short term" or ephemeral or session or temporary or shared) near (secret or value or key))	US-PGPUB; USPAT	OR	OFF	2006/08/31 11:32

EAST Search History

S24 6	15	S243 and (generat\$3 with ((long\$1term or "long term" or permanent) near (secret or symmetr\$2 or value or key)))	US-PGPUB; USPAT	OR	OFF	2006/08/31 11:38
S24 7	14	S243 and ((register\$3 configur\$3 initiali\$5 manufactur\$3) with ((cryptographic or trusted or secure\$1) near2 (co\$1processor or module or device or component or facility or unit))) and (generat\$3 near2 (secret or symmetric) adj (key or value))	US-PGPUB; USPAT	OR	OFF	2006/08/31 11:40
S24 8	13	"postal security device" and ((genera\$3 or creat\$3) near2 "secret key")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 11:41
S24 9	52	S243 and ((key or number or value) near3 (updat\$3 or creat\$3 or generat\$3 or deriv\$3) with (power\$1up or "power up" or start\$1up or "start up" or \$2boot\$3 or reset\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 11:46
S25 0	40	grawrock-david-w.in.	US-PGPUB; USPAT	OR	OFF	2006/08/31 12:02
S25 1	87	(initializ\$5 manufacture (first near (start\$1up boot "power up"))) near5 ((master secrete) near2 (number value key)) same (secur\$3 encrypt\$3 synchroniz\$5 control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 12:10
S25 2	58	S251 and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 12:23
S25 3	2	S243 and ("input/output control hub" or "i/o control hub" or ICH or "input/output controller" or "i/o controller") and ((cryptographic adj co\$1processor\$1) or (trusted near2 module) or (trusted near2 component))	US-PGPUB; USPAT	OR	OFF	2006/12/20 14:29
S25 5	92	("input/output control hub" or "i/o control hub" or ICH or "input/output controller" or "i/o controller") and ((cryptographic adj co\$1processor\$1) or (trusted near2 module) or (trusted near2 component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 12:30

EAST Search History

S25 6	10	S255 and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 12:30
S25 7	2136	713/171-172,192;380/44,262,277-278, 283-285.ccls. and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT	OR	OFF	2006/12/20 14:29
S25 8	2	S257 and ("input/output control hub" or "i/o control hub" or ICH or "input/output controller" or "i/o controller") and ((cryptographic adj co\$1processor\$1) or (trusted near2 module) or (trusted near2 component))	US-PGPUB; USPAT	OR	OFF	2006/12/20 14:30
S25 9	3	S257 and ("input/output control hub" "i/o control hub" ICH "input/output controller" "i/o controller") same (cryptographic near2 (module device component circuit accelerator engine))	US-PGPUB; USPAT	OR	OFF	2006/12/20 14:41
S26 0	12	S257 and (("input/output control hub" "i/o control hub" ICH "input/output controller" "i/o controller") same (encrypt\$3 decrypt\$3 key))	US-PGPUB; USPAT	OR	OFF	2006/12/20 14:37
S26 1	14	("input/output control hub" "i/o control hub" ICH "input/output controller" "i/o controller") same (cryptographic near2 (module device component circuit accelerator engine co\$1processor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/20 14:44
S26 2	8	S261 and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/20 14:42
S26 3	1	((("input/output control hub" "i/o control hub" ICH "input/output controller" "i/o controller") and ((cryptographic trusted) near2 (module device component circuit accelerator engine co\$1processor)) and ((long\$1term "long term" permanent) near (secret value key)) and ((short\$1term "short term" ephemeral session temporary) near (secret value key)) and (power\$1up "power up" start\$1up "start up" \$2boot\$3 reset\$4)).clm.	US-PGPUB	OR	ON	2006/12/20 14:48